



Polyurethane Rubber Coated

Our Rubber Feet are manufactured using a high quality Commercial Rubber or Nitrile and are available in three main variants, these being Tapered, Straight and Octagonal sided bases. Fixed Adjustable Rubber Feet are a popular part for use with a range of applications, this includes as Furniture Feet, Refrigerator Feet where they can assist and add grip when used with hard surfaces (such as wood, tiles). These Threaded Rubber Feet are also widely used inside industrial settings where they provide an ideal level of shock absorbing and vibration dampening properties at a low cost when compared to other dampening solutions. You can rest assured to buy high quality Polyurethane Rubber Coated Rollers from our factory and we will offer you the best after-sale service and timely delivery.

1. Product Introduction of the Polyurethane Rubber Coated Rollers

Rubber rollers are used for variety of purposes and are found in many manufacturing processes. The basic uses for rubber rollers are found in the manufacturing processes of textiles, film, sheet, paper and coiled metal. Rubber covered rollers are used in all sorts of container and packaging fabricating equipment as well as machinery used for the sanding and grinding of wood, steel and aluminum.

Industrial rubber rollers or rolls are used in applications which require a high degree of contact and holding friction, and also in material processing applications requiring a soft touch. Rollers are usually in the shape of cylindrical or spherical shape and are devices that roll or rotate, like for example, a small spoke less wheel or like a roller skate or caster. Rollers are also used in printing. For printing purpose, it is hard rubber roller which is used to ink the type before the paper is impressed. Rubber rollers are also the ideal choice for peripheral decorating of cylindrical shapes and roll-on decorating of large flat or curved surfaces. Covered rolls are used extensively in the graphic arts industry.







Advantage of our Polyurethane Rubber Coated Rollers:

Hardness can be from HSA15 to HSD80, which can meet the hardness requirements of different types of printing machines.

The rubber roller has sufficient surface viscosity to ensure that the rubber roller has good ink transfer and inking performance during the printing process, and its good ink affinity can ensure high-quality printing.

The rubber roller has good chemical properties, especially good solvent resistance to diesel, gasoline, lubricating oil, kerosene, alcohol and saline solution.

The rubber roller has high strength and high tear resistance, so it is resistant to shear and abrasion.



www.tec-rubber.com



2. Product Parameter (Specification)

Product Name:	Polyurethane Rubber Coated Rollers
Material:	NBR, HNBR, EPDM, SILICONE, VITON, FLS, FFPM, PTFE
Size:	Any size, Customized/standard and nonstandard
Color:	Black
Packing:	plastic bag&carton box or according to your requirements
Sample time:	20-25days
Application:	Electrical



Warranty:

2years

3. our service.

1. Inquiry about our products can be replied within 12 hours.

2. Professional & experienced staff help you solve problems of silicone and rubber products.


3. Accept customized shape, material, hardness, temperature, size, color, logo and packing.

4. Mode of production: Compression or injection or extrusion.

5.We have a comprehensive range of in-house manufacturing facilities, allowing us to provide fast and effective manufacturing.

4. Quality Control and Certifications

We serve our customers with high quality Customized Shape Rubber Gaskets by strictly follow ISO 9001:2015 and IATF 16949.



In-process QC

FQC

5. Packing, Payment and Shipping

Our packing for all the Customized Shape Rubber Gaskets, strong enough to ensure its safety throughout the whole delivery no mater domestic or oversea shipping. Customized Packing/LOGO/Labeling are Available.

Xiamen Liangju Rubber Technology Co., Ltd.

In-process QC

Tel: +86-592-7255151




www.tec-rubber.com



ISO 9001 : 2015

IATF 16949 : 2016



6. FAQ

1. Do you supply material?

Yes, we have our own mixing rubber factory and can supply you with Synthetic Rubbers to fit your applications.

2. If OEM is acceptable?

Yes, Samples are Free of charge

3. What Is EPDM Rubber ?



www.tec-rubber.com

EPDM is a synthetic rubber polymer and is made from ethylene and propylene monomers. This rubber was developed in the early 1960's and used to produce variety of products like radiator and steam hoses, freezer gaskets, tires, roofing membranes and aircraft seals to name only a few.

4. Why is rubber used to produce industrial products?

Rubber has certain unique properties which makes it suitable to produce rubber products which are widely used in various industrial applications. Rubber is water repellent. It is resistant to alkalies and weak acids. Rubber has elasticity, toughness, impermeability, adhesiveness, and electrical resistance. These properties make rubber useful as an adhesive, a coating composition, a fiber, a molding compound, as well as an electrical insulator.

5. Which type of rubber is best for my application?

There are a range of natural and synthetic rubbers with different properties, making some more suitable than others for particular applications—the key of course is choosing the most appropriate one! For specific requirements, please ask our rubber products specialists for guidance.